



PHYSICIAN'S CARDIAC CATH LAB **PRE CATHETERIZATION INSTRUCTIONS**

Your cardiac catheterization has been scheduled at **Physician's Cardiac Catheterization Lab @ DePaul Health Center** on _____ at _____ am / pm.

You will need to arrive at _____ am / pm.

INSTRUCTIONS:

YOU MUST BRING ALL HOME MEDICATIONS (INSULIN, INHALERS, ETC...)

PLEASE NOTE IF FOR ANY REASON THE FOLLOWING STEPS ARE OVERLOOKED IT MAY BE DETERMINED FOR YOUR SAFETY THAT YOU RESCHEDULE THE PROCEDURE.

1. **NOTHING** to eat or drink after midnight the night prior to the procedure.
2. **PLEASE STOP ASPIRIN OR PLAVIX / DO NOT STOP ASPIRIN OR PLAVIX.**
3. **STOP COUMADIN (GENERIC NAME IS WARFARIN) 5 DAYS PRIOR TO PROCEDURE. **** STOP TAKING ON _____**
4. **IF YOU ARE ALLERGIC TO IODINE OR HAVE HAD AN ALLERGIC REACTION TO X-RAY DYE YOU WILL NEED TO BE PRE-MEDICATED. PLEASE NOTIFY US IN ADVANCE SO YOU CAN BEGIN MEDICATION THE DAY BEFORE.**
5. If you are Diabetic you will want to only take **HALF** of the normal **INSULIN** the morning of the procedure, and **DO NOT** take any of your diabetic pills you are on.
6. **GLUCOPHAGE OR GLUCOVANCE** (which contains glucophage) must be stopped the day of the procedure and for 2 days after. The generic form of glucophage is **METFORMIN**.
7. You may take all other medications that are not required to be taken with food, with small sips of water (if you take diuretics also known as "water pills" you may want to delay taking them until later in the evening for your comfort as you will be on bed rest).
8. You may receive results of your lab work in advance which indicates you may need a medication called Mucomyst. This liquid medication may be taken with juice or soda and assists your kidneys in removing X-ray dye.
9. Please be prepared to spend the night, you will also need someone to drive you home.

******* YOU MUST CANCEL WITH AT LEAST 24 HOUR NOTICE*******
******* OR YOU MAY BE RESPONSIBLE FOR CHARGES*******

CARDIAC CATHETERIZATION / PTCA / STENT POST INSTRUCTIONS

ACTIVITY

No heavy lifting (above 10 pounds) for 1 week.

No driving for 2 days after bleeding stopped from puncture site.

No exercise or vigorous / strenuous activity for 1 week.

PUNCTURE SITE

Remove dressing and leave open to air the day after procedure.

Wash site with soap and water daily.

Shower preferred (instead of tub bath to prevent infection for 1 week).

No creams or lotions to site.

SIGNS TO WATCH / CALL DOCTOR OFFICE ABOUT

Increased bruising.

Swelling at site of puncture.

Elevated temperature over 100 degrees.

Redness or drainage from puncture site.

Pain at site or extremity not relieved by analgesics.

SMALL LUMP UNDER THE SKIN AT PUNCTURE SITE IS NORMAL FOR A COUPLE WEEKS.

FOR QUESTIONS PLEASE CALL THE OFFICE @ 314-741-0911

Sundeep Das M.D., F.A.C.C. • **Rafiq Ramadan** M.D., F.A.C.C, F.S.C.A.I. • **Abdul Razzaq** M.D.
Usman Qayyum MD, F.A.C.C. • **Harvey Serota** M.D., F.A.C.C., F.S.C.A.I.
Toniya Singh M.D, F.A.C.C. • **Mohammad Tahir** M.D., F.A.C.C.
Hari Thanigaraj M.D, F.A.C.P, F.A.C.C, F.S.C.A.I, F.A.S.E • **Gil Vardi** M.D., F.A.C.C, F.S.C.A.I
11155 DUNN RD • SUITE 304E • SAINT LOUIS, MISSOURI 63136
12277 DEPAUL DR • SUITE 503 • BRIDGETON, MISSOURI 63044
2118 WASHINGTON • GRANITE CITY, ILLINOIS 62040
PHONE: 314-741-0911 • 314-739-9618 • 618-876-8214 • 888-741-0911
FAX: 314-741-0501 • 314-739-9727 • 618-451-9111

www.slhv.com